


# GRAND DUBLINER

## Walkaround Display Merchandiser

### Technical Specifications



# The GRAND DUBLINER WALKAROUND

is our latest innovation which is DOE approved. It was developed from the ground up to incorporate Novums patented LEAP™ technology. The benefits of which are clear - No frost build up internally unique cassette refrigeration system & the lowest running costs of any cabinet of its size on the market.

The Grand Dubliner combines superior internal volume, with excellent product visibility & product facing. Dual LED lighting, combined with a clean white interior provides spectacular illumination of the product. This combined with Novum's LEAP Technology, makes a truly class leading cabinet which can be shopped at both sides simultaneously.




**Removable  
Cassette**




**Lower  
Energy Bills**



**100%  
Frost Free**



**Sliding lids  
Save on  
Energy**




The Grand Dubliner is guaranteed to enhance the image of your store, save you money and improve your customer shopping experience.



# Technical Specification

| The Grand Dubliner                                       |             |                    |
|----------------------------------------------------------|-------------|--------------------|
| Technical Data                                           |             |                    |
| Gross content                                            | cu. ft.     | 37.7               |
| Net Content                                              | cu. ft.     | 25.7               |
| Total Display Area (TDA)                                 | sq. ft.     | 16.7               |
| Ambient Temperature Range                                | °F          | +61 to +77         |
| Low Temp Range                                           | °F          | 0 to -13           |
| Medium Temp Range                                        | °F          | +33 to +46         |
| Sound Pressure at 1m Distance                            | dB(A)       | 43.3               |
| Electrical Data                                          |             |                    |
| Nominal Voltage / Frequency                              | V / Hz      | 110-120 / 60       |
| Nominal Power Cabinet                                    | w           | 310                |
| Nominal Power LED Light                                  | w           | 38 (2 x 19)        |
| Nominal Current                                          | A           | 5                  |
| Fuse Protection                                          | A           | 10                 |
| Energy consumption (at 77°F)                             | kWh/24h     | 4.15               |
| Length of Power Supply Cord                              | inches      | 78.7               |
| Refrigeration Data                                       |             |                    |
| Refrigerant                                              | Type        | R290               |
| Gas Charge                                               | oz          | 2.3                |
| Maximum Operating Pressure                               | PSI         | 435                |
| Maximum Heat Output                                      | W/h (Btu/h) | 780      780(2661) |
| Dimensions                                               |             |                    |
| Length Outside/ Inside                                   | inches      | 83 / 75.8          |
| Depth Outside/ Inside                                    | inches      | 38.5 / 31.6        |
| Front Access Height Outside / Inside                     | inches      | 31 / 34.8          |
| Stacking Height at the Front / Back                      | inches      | 22.8               |
| Weight                                                   |             |                    |
| Net Weight (excl. packaging, incl. internal accessories) | lbs         | 330                |
| Gross Weight (incl. packaging & internal accessories)    | lbs         | 341                |




## Grand Dubliner Dimensions



SCALE 1 : 25



SCALE 1 : 25



**Novum USA**

616 Hwy 74 S  
Peachtree City  
GA. 30269  
Phone : (770) 708 3687

[www.novumusa.com](http://www.novumusa.com)

**NOVUM  
USA INC.**

Redefining refrigeration