

NOVUM LEAP™

PANAMA SLIM TD



PANAMA SLIM TD

Dual-purpose Chiller/Freezer

TECHNICAL SPECIFICATIONS








NOVUM
Redefining refrigeration

WWW.NOVUM.IE

TECHNICAL SPECIFICATION

		2 Door		3 Door	
Panama Slim TD					
Technical Data		Frozen Mode	Chiller Mode	Frozen Mode	Chiller Mode
Total Volume as per Energy Star	cu. ft. (litre)	48.5 (1373)	48.5 (1373)	75.2 (2129)	75.2 (2129)
Total Display Area (TDA)	sq. ft. (m2)	21.5 (2)	21.5 (2)	32.7 (3)	32.7 (3)
Ambient Temperature Range	°F (°C)	+61 to +77 (+16 to +25)	+61 to +77 (+16 to +25)	+61 to +77 (+16 to +25)	+61 to +77 (+16 to +25)
Inner Temperature Range	°F (°C)	0 to -13 (-18 to -25)	33 to 46 (0 to 8)	0 to -13 (-18 to -25)	33 to 46 (0 to 8)
Sound Pressure at 1m Distance	dB(A)	46	46	48	48
Electrical Data					
Nominal Voltage / Frequency	V / Hz	110-120 / 60	110-120 / 60	110-120 / 60	110-120 / 60
Nominal Power Cabinet	w	967	967	1450	1450
Nominal Power LED Light	w	4 x 14	4 x 14	6 x 14	6 x 14
Nominal Current	A	11A	11A	16A	16A
Fuse Protection	A	16A	16A	20A	20A
Energy Consumption at 77°F (25°C)	kWh/24h	11.13	3.94	17.27	6.72
Length of Power Supply Cord	Inches (mm)	79 (2006)	79 (2006)	79 (2006)	79 (2006)
Refrigeration Data					
Refrigerant	Type	R290	R290	R290	R290
Gas Charge	oz (g)	2 x 2.3 (2 x 65g)	2 x 2.3 (2 x 65g)	3x 2.3 (3 x 65g)	3x 2.3 (3 x 65g)
Maximum Operating Pressure	PSI (bar)	435 (30)	435 (30)	435 (30)	435 (30)
Maximum Heat Output	W/h (Btu/h)	1200 (4100)	1200 (4100)	1800 (6140)	1800 (6140)
Dimensions					
Length Outside/ Inside	Inches (mm)	61/54.8 (1625/1392)	61/54.8 (1625/1392)	90.5/84.7 (2299/2151)	90.5/84.7 (2299/2151)
Depth	Inches (mm)	32.63	32.63	32.63	32.63
Depth of shelves	Inches (mm)	19.96 (829)	19.96 (829)	19.96 (829)	19.96 (829)
Number of shelves	No.	6	6	6	6
Weight					
Net Weight (excl. packaging, incl. internal accessories)	Lbs (Kg)	626 (284)	626 (284)	871 (395)	871 (395)
Gross Weight (incl. packaging & internal accessories)	Lbs (Kg)	648 (294)	648 (294)	904 (410)	904 (410)





Panama Slim TD External Dimensions



Panama Slim TD Internal Dimensions



Panama Slim TD - 2 door




The Panama Slim TD is 20% slimmer than traditional Panama Green TD and ideal for smaller convenience stores whilst giving the retailer an extra 10% TDA when compared to the Panama Slim standard door model.

NEW

NOVUM LEAP™

PANAMA SLIM TD



NOVUM

Redefining refrigeration

Novum (Overseas) Ltd.
The Novum Building
Clonshaugh Technology & Business Park
Dublin 17, Ireland

+353 1 803 6400
www.novum.ie