

NOVUM LEAP™

PANAMA GREEN TD

PANAMA GREEN TD

Dual-purpose Chiller/Freezer

TECHNICAL SPECIFICATIONS



NOVUM
Redefining refrigeration

WWW.NOVUMUSA.COM

Features



One touch dual temperature as standard



Standard Anti Fog Coating



Cantilever solid shelves and brackets



SMART controller that defrosts on demand



Anti sweat controller as standard



R290 natural refrigerant



Energy Star Accredited






TECHNICAL SPECIFICATION

		2 Door		3 Door	
Technical Data		Frozen Mode	Chiller Mode	Frozen Mode	Chiller Mode
Internal Volume	cu. ft.	61.71	61.71	95.7	95.7
Total Display Area (TDA)	sq. ft.	24.44	24.44	36.66	36.66
Ambient Temperature Range	°F	+61 to +77	+32 to +39	+61 to +77	+32 to +39
Inner Temperature Range	°F	0 to -13	33 to 46	0 to -13	33 to 46
Sound Pressure at 1m Distance	dB(A)	46	46	48	48
Electrical Data					
Nominal Voltage / Frequency	V / Hz	110-120 / 60	110-120 / 60	110-120 / 60	110-120 / 60
Nominal Power Cabinet	w	967	967	1450	1450
Nominal Power LED Light	w	4 x 14	4 x 14	6 x 14	6 x 14
Nominal Current	A	11	11	16	16
Fuse Protection	A	16A	16A	20A	20A
Energy Consumption at 77°F	kWh/24h	12.66	4.93	19.00	7.39
Length of Power Supply Cord (NEMA 5-20P - C19)	Inches	79	79	79	79
Refrigeration Data					
Refrigerant	Type	R290	R290	R290	R290
Gas Charge	oz	2 x 2.3	2 x 2.3	3x 2.3	3x 2.3
Maximum Operating Pressure	PSI	435	435	435	435
Maximum Heat Output	W/h (Btu/h)	1200	1200	1800	1800
Dimensions					
Length Outside/ Inside	Inches	61 / 55	61 / 55	91 / 85	91 / 85
Depth Outside/ Inside	Inches	37 / 28	37 / 28	37 / 28	37 / 28
Depth of shelves "Wire Shelf Standard" (see notes)	Inches	26	26	26	26
Number of shelves		6	6	6	6
Weight					
Net Weight (excl. packaging, incl. internal accessories)	Lbs	695	695	926	926
Gross Weight (incl. packaging & internal accessories)	Lbs	754	754	1002	1002




Notes:

- Specifications are subject to change without notice.
- Case designed to operate in an ambient temperature of 75°F and relative humidity of 55% or lower
- Wire shelf standard rated for max of 150lbs
- Heavy Duty shelf option for "heavier loads"
- 6 inch legs shipped loose
- Hold over cases should only be loaded with pre-cooled or pre-frozen product
- Automatic Motion Sensing Lighting Available
- Motion Sensors as standard
- Comms Availability standard

Panama Green TD External Dimensions




Panama Green TD Internal Dimensions



NOVUM LEAP™

PANAMA GREEN



NOVUM

Redefining refrigeration

Novum USA Inc.
200 Corporate Drive
Suite 1
Blauvelt, NY 10913

tel: +678-708-3687
www.novumusa.com